Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	67216	"324"/$.ccls.	USPAT	OR	OFF	2005/03/04 13:39
L7	1	"6466036".pn.	USPAT	OR	OFF	2005/03/04 13:39
L8	0	7 and ("not" near5 switch$5)	USPAT	OR	OFF	2005/03/04 13:39
L9	0	7 and ("not comprising" near5 switch$5)	USPAT	OR	OFF	2005/03/04 15:16
L10	1	"20020140440"	US-PGPUB; USPAT	OR	OFF	2005/03/04 15:41
L11	1	"6559658".pn.	US-PGPUB; USPAT	OR	OFF	2005/03/04 15:41
L13	1	"4622437".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 15:47
S1	1	"20040104826"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:20
S2	3	("5730165" "6288707" "6466036").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 08:20
S3	6	("4476463" | "4622437" | "4736191" | "5365461" | "5457289" | "5914465").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/03 12:40
S4	13	("3886447" | "4054833" | "4806846" | "4977480" | "5329239" | "5343157" | "5537054" | "5705807" | "5726581" | "5730165" | "6188228" | "6242927" | "6278283").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/03 12:08
S5	3	("5730165" "6288707" "6466036").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 12:13
S6	0	(S3 or S4 or S5) and ((conduct$5 and gap) with sensor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 12:15
S7	0	(S3 or S4 or S5) and ((conduct$5 with gap) with sensor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 12:15
S8	0	(S3 or S4 or S5) and ((conduct$5 with gap) same sensor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 12:15

S9	1	"6288707".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/03 12:40
S10	1	"5914465".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:05
S11	328	324/658-662.ccls. and ((plurality two many dual multi) near2 (electrode$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 10:17
S12	2	324/658-662.ccls. and (((plurality two many dual multi) near2 (electrode$1)) with channel)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:13
S13	2	324/658-662.ccls. and (position and (((plurality two many dual multi) near2 (electrode$1)) with channel))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:16
S14	1236	(capacit$3 near2 (sensor sensing)) with position	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:54
S15	183	S14 and "324"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:58
S16	67	324/658-662.ccls. and (capacit$3 near2 (sensor sensing)) with position	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 16:32
S17	42	S16 and electrode$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:16
S18	0	"62466036"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:49
S19	4	"6466036"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:49
S20	1695	(capacit$3 near2 (sensor sensing measure measuring measurement)) with position	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:57

S21	101	S20 and (324/658-662).ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:57
S22	47	345/173-178.ccls. and S14	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:58
S23	34	S22 and electrode$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 15:58
S24	44	324/663,665,676,678,679.ccls. and ((capacit$3 near2 (sensor sensing measuring measure measurement)) with position)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 16:34
S25	29	S24 and (electrode$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/03 16:44
S26	3	("5730165" "6288707" "6466036").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 08:20
S27	32	((determin$4 sens$4 detect$4 measur$4) near3 (water adj2 level)) with resistor	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:39
S28	4	("6373265" "6530283" "6159761" "6158291").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:35
S29	15	("3727128"|"3870953"|"4005363" |"4165482"|"4176339"|"4853950" |"5083086"|"5352994"|"5600248" |"5748002"|"5841273"|"6137293" |"6268721"|"6307380").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:35
S30	100	((determin$4 sens$4 detect$4 measur$4) near3 (position)) with ((single one lone discrete) near2 resistor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:44
S31	11	S30 and "324"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:45
S32	116	((determin$4 sens$4 detect$4 measur$4) near3 (position)) with (resistive adj2 (sensor detector))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:44

S33	24	S32 and "324"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:48
S34	12	(S30 or S32) and 345/173-178. ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 09:49
S35	151	324/658-662.ccls. and (resistor with (detect$4 sensor$4))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 10:18
S36	50	324/658-662.ccls. and (resistor near3 (detect$4 sensor$4))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 15:46
S37	1	"5914465".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/04 13:36